

Project Name: Basic Application Example□

File: C:\Xbase\v19SL1\source\samples\basics\App\project.xpj

Analysis Date: 10/20/2009

Time: 22:15:34

Total Files: 1

Include Files: 15

Name:

Type:

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [30-30]

Variables:

[MV] appObject : 30

Name: AppEditPlain

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [37-46]

Called By:

Main : 201

Variables:

[Lo] oEdit : 39,41,45

APPEDIT : 41

INTO : 41

STYLE : 41

PLAIN : 41

POSITION : 41

TOP : 41

LEFT : 41

oEdit:useVisualStyle: =43

APPDISPLAY : 45

MODELESS : 45

Name: AppEdit3D

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [49-53]

Called By:

Main : 202

Variables:

APPEDIT : 50

STYLE : 50

POSITION : 50

TOP : 50

CENTER : 50

APPDISPLAY : 52

MODELESS : 52

Name: AppEditFancy1

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [60-64]

Called By:

Main : 204

Variables:

APPEDIT : 61

STYLE : 61

FANCY : 61

POSITION : 61

CENTER : 61

APPDISPLAY : 63

MODELESS : 63

Name: AppEdit3D1

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [67-77]

Called By:

Main : 203

Variables:

[Lo] oEdit : 69,72,76
APPEDIT : 72
INTO : 72
POSITION : 72
TOP : 72
RIGHT : 72
STYLE : 72
oEdit:useVisualStyle: =74
APPDISPLAY : 76
MODELESS : 76

Name: AppEditFancy2

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [85-94]

Called By:

Main : 205

Variables:

[Lo] oEdit : 87,89,93
APPEDIT : 89
INTO : 89
STYLE : 89
FANCY : 89
POSITION : 89
CENTER : 89
BITMAP : 89
FIT : 89
oEdit:useVisualStyle: =91
APPDISPLAY : 93
MODELESS : 93

Name: AppBrowseSystem

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [101-105]

Called By:

Main : 209

Variables:

APPBROWSE : 102
STYLE : 102
SYSTEM : 102
POSITION : 102
BOTTOM : 102
LEFT : 102
APPDISPLAY : 104
MODELESS : 104

Name: AppBrowsePlain

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [108-117]

Called By:

Main : 206

Variables:

[Lo] oBrowse : 110,112,116
APPBROWSE : 112
INTO : 112
STYLE : 112
PLAIN : 112
POSITION : 112
BOTTOM : 112
LEFT : 112
oBrowse:useVisualStyle: =114
APPDISPLAY : 116
MODELESS : 116

```

Name: AppBrowse3D
Type: Function
File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [ 120-129 ]
Called By:
    Main          : 207
Variables:
[Lo]  oBrowse      : 122,124,128
      APPBROWSE    : 124
      INTO         : 124
      STYLE        : 124
      POSITION      : 124
      BOTTOM       : 124
      CENTER       : 124
      oBrowse:useVisualStyle: =126
      APPDISPLAY   : 128
      MODELESS     : 128

```

```

Name: AppBrowseFancy
Type: Function
File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [ 132-141 ]
Called By:
    Main          : 208
Variables:
[Lo]  oBrowse      : 134,136,140
      APPBROWSE    : 136
      INTO         : 136
      STYLE        : 136
      FANCY        : 136
      POSITION      : 136
      BOTTOM       : 136
      RIGHT        : 136
      oBrowse:useVisualStyle: =138
      APPDISPLAY   : 140
      MODELESS     : 140

```

```

Name: TwoApps
Type: Function
File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [ 148-174 ]
Called By:
    Main          : 210
Calls:
    XbpDialog:new : 151
    obj:destroy   : 155
    oDlg:create   : 157
Variables:
[Lo]  oDlg          : 149,=151
      oDlg:taskList : =152
      oDlg:title    : =153
      oDlg:maxButton : =154
      oDlg:close    : =155
[CBPa] mp1         : 155
[CBPa] mp2         : 155
[CBPa] obj         : 155
      oDlg:border   : =156
      APPBROWSE    : 162
      PARENT       : 162,170
      oDlg:drawingArea : 162,170
      POSITION      : 162,170
      TOP          : 162
      SIZE         : 162,170
      PERCENT      : 162,170
      APPDISPLAY   : 164,172
      MODELESS     : 164,172
      APPEDIT      : 170

```

STYLE : 170
 BOTTOM : 170

Name: AppSys

Type: Function
 File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [178-180]

Name: AppQuit

Type: Function
 File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [182-185]
 Called By:
 Main : 199

Name: Main

Type: Function
 File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [190-223]

Calls:

AppSelection:new : 198
 :create : 198
 AppQuit : 199
 oXbp:addItem : 201,202,203,204,205,206,207,208,209,210
 AppEditPlain : 201
 AppEdit3D : 202
 AppEdit3D1 : 203
 AppEditFancy1 : 204
 AppEditFancy2 : 205
 AppBrowsePlain : 206
 AppBrowse3D : 207
 AppBrowseFancy : 208
 AppBrowseSystem : 209
 TwoApps : 210
 oXbp:show : 212
 oXbp:handleEvent : 220

Variables:

[Lo] nEvent : 191,=216,217,220
 [Lo] mp1 : 191,@216,218,220
 [Lo] mp2 : 191,@216,220
 [Lo] oXbp : 191,=198,@216
 [Db] customer : 194
 TYPEAHEAD : 196
 oXbp:close : =199
 oXbp:listBox : 213
 xbeP_Eval : 217

Name: AppSelection

Type: Class
 File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [230-244]

Derived From:

[Cl] XbpDialog : 230

Variables:

[VA] aItems : 232
 [VA] aBlocks : 233
 [VA] staticBox : 236
 [VA] staticTxt : 237
 [VA] listBox : 238
 [VA] buttonOK : 239

Methods:

[MT] init : 241
 [MT] create : 242
 [MT] addItem : 243
 [MT] itemSelected : 244

Name: AppSelection:init

Type: Method
 File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [252-280]

Calls:

```

::XbpDialog:init      : 259
XbpStatic:new        : 267,269
XbpListBox:new       : 268
XbpPushButton:new    : 272
::itemSelected      : 277

```

Variables:

```

[Pa]  oParent      : 252,257,259
[Pa]  oOwner       : 252,259
[Pa]  aPos         : 252,257,259
[Pa]  aSize        : 252,257,259
[Pa]  aPP          : 252,259
[Pa]  lVisible     : 252,257,259,265
::XbpDialog:border  : =260
::XbpDialog:icon    : =261
::XbpDialog:taskList : =262
::XbpDialog:maxButton : 263
::XbpDialog:title   : =264
::XbpDialog:visible : =265
::staticBox         : =267,268
::drawingArea       : 267,269,272
::listBox           : =268
::staticTxt         : =269
::staticTxt:caption : =270
::buttonOK          : =272
::aItems            : =273
::aBlocks           : =274
::staticBox:type    : =276
::listBox:itemSelected : =277
::buttonOK:caption  : =278
::buttonOK:activate : =279

```

Name: AppSelection:create

Type: Method

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [287-297]

Calls:

```

::XbpDialog:create      : 289
::XbpDialog:drawingArea:setFontCompoundName: 290
::staticBox:create      : 292
::staticTxt:create      : 293
::listBox:create        : 294
::buttonOK:create       : 295

```

Variables:

```

[Pa]  oParent      : 287,289
[Pa]  oOwner       : 287,289
[Pa]  aPos         : 287,289
[Pa]  aSize        : 287,289
[Pa]  aPP          : 287,289
[Pa]  lVisible     : 287,289

```

Name: AppSelection:addItem

Type: Method

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [304-311]

Calls:

```

::ListBox:addItem      : 307

```

Variables:

```

[Pa]  cItem        : 304,306,307
[Pa]  bBlock       : 304,306,308
::aBlocks          : 308

```

Name: AppSelection:itemSelected

Type: Function

File: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG [319-327]

Calls:

```

::listBox:getData      : 320

```

Variables:

```
[Lo]  aItem          : =320,321
[Lo]  nItem          : =321,323,324
      xbeP_Eval      : =324
```

=====
Classes Defined:

CLASS: AppSelection

Defined In: C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG - [230-244]

Derived From:

XbpDialog

VARs:

```
aItems
aBlocks
staticBox
staticTxt
listBox
buttonOK
```

METHODs:

```
init
create
addItem
itemSelected
```

Include Files Processed:

```
C:\Xbase\v19SL1\INCLUDE\APP.CH
C:\Xbase\v19SL1\INCLUDE\APPBROW.CH
C:\Xbase\v19SL1\INCLUDE\APPEDIT.CH
C:\Xbase\v19SL1\INCLUDE\APPEVENT.CH
C:\Xbase\v19SL1\INCLUDE\COLLAT.CH
C:\Xbase\v19SL1\INCLUDE\COMMON.CH
C:\Xbase\v19SL1\INCLUDE\FONT.CH
C:\Xbase\v19SL1\INCLUDE\GET.CH
C:\Xbase\v19SL1\INCLUDE\GRA.CH
C:\Xbase\v19SL1\INCLUDE\MEMVAR.CH
C:\Xbase\v19SL1\INCLUDE\NATMSG.CH
C:\Xbase\v19SL1\INCLUDE\PROMPT.CH
C:\Xbase\v19SL1\INCLUDE\SET.CH
C:\Xbase\v19SL1\INCLUDE\STD.CH
C:\Xbase\v19SL1\INCLUDE\XBP.CH
```

Files Processed:

C:\Xbase\v19SL1\source\samples\basics\App\APPDEMO.PRG